





Mat. – Nr. – Konstante
3740


Gebrauchsanweisung
58 6318
(DE,EN,FR,IT,NL)

Montageanleitung
52 1893
(DE,EN,FR,IT,NL,DA
NO,FI,SE,TR)

Beistellsatz
26 4862
Listerien Rep.Satz
41 7589



Mat. – Nr. – Konstante
3740



Pos.	V01,V02		
	Danfoss		
	TLY 7KK2		
1	14 2059		
2			
3	15 1055		
4			
5	15 0760		
6	15 1072		
7	16 9319		
8	26 4879		
9	0 50166		
10			
11	36 5099		
12	05 6008		

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES			
Verdichter/Compressor/Compresseur		Danfoss	
Typ/Type		TLY7KK2	
Förderleistung/Delivery/Débit		l/h	1168
Anlaufstrom/Starting current/Cour de démarrage		A	5,7
Widerstand/Resistance/Résistance		Ha/main/prin	Ω 27,1
		Hi/aux	Ω 27,2
Temp.–Regler/Thermostat		Ranco	
Typ/Type		K59	
Regelstellung/Position		kalt	warm
Schaltwerte/Switching values		"warm"	+4,0
Valeurs de commutation		"kalt"	+4,0
		"alarm"	–32,0 –12,0
Füllmenge/Fill.quantity/Charge		R600a	*
Anschlußwert/Conn.load/Puiss. connectée		W	71
Heizung/Heater/Chauffage			
Widerstand/Resistance/Résistance		Ω	
Leistung/Power/Puissance		W	
Ventilator/Blower/Ventilateur			
Widerstand/Resistance/Résistance		Ω	
Temp.–Regler/Thermostat			
Magnetventil/Magnetic valve/Electrovanne			
Widerstand/Resistance/Résistance		Ω	
Spannung/Voltage/Tension		V	

* siehe Typenschild