


**BOSCH**

KGE3301/05-V01
KGE3301GB/05-V02
KGE3301SD/55-V03

KGE3301/06-V04
KGE3301GB/06-V05
KGE3301SD/56-V06

KÜHL-, GEFRIERGERÄTE
Kühl-, Gefrierkombinationen



Ident - Nummern - Konstante
3740

Gebrauchsanweisung
52 1814
(D,GB,I,F,NL,E)
52 1815
(DK,N,S,,SF)
Montageanleitung
51 6997
(D,G,I,F,NL,DK,N,SF,P)

1) 35 2148
Blende kompl.
2) 16 8766
Rep.-Satz

**BOSCH**


KGE3301/05-V01
KGE3301GB/05-V02
KGE3301SD/55-V03

KGE3301/06-V04
KGE3301GB/06-V05
KGE3301SD/56-V06

KÜHL-, GEFRIERGERÄTE
Kühl-, Gefrierkombinationen

Ident - Nummern - Konstante
3740

1) 15 0694
2) 15 0693
3) 16 5789




**BOSCH**

KGE3301/05-V01
KGE3301GB/05-V02
KGE3301SD/55-V03

KGE3301/06-V04
KGE3301GB/06-V05
KGE3301SD/56-V06

KÜHL-, GEFRIERGERÄTE
Kühl-, Gefrierkombinationen

Ident – Nummern – Konstante
3740



TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES				
Verdichter/Compressor/Compresseur		Matsushita		
Typ/Type		DA 110 E		
Förderleistung/Delivery/Débit		l/h	1980	
Anlaufstrom/Starting current/Cour de démarrage		A	8,7	
Widerstand/Resistance/Résistance		Ha/main/prin	Ω	12,0
		Hi/aux	Ω	28,7
Temp.-Regler/Thermostat				
Typ/Type				
Regelstellung/Position				
Schaltwerte/Switching values		"warm"		
Valeurs de commutation		"kalt"		
		"alarm"		
Füllmenge/Fill.quantity/Charge		R600a	*	
Anschlußwert/Conn.load/Puiss. connectée		W	112	
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance		Ω		
Leistung/Power/Puissance		W		
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance		Ω		
Temp.-Regler/Thermostat		°C	kΩ	°C
		+10	9,95 ±0,18	-18 43,31 ±1,10
		+5	12,70 ±0,18	-22 54,66 ±1,59
		0	16,33 ±0,16	-26 69,42 ±2,29
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance		Ω	1650	
Spannung/Voltage/Tension		V	220	

* siehe Typenschild

Pos.	Matsushita		
	DA 110 E		
1	14 1324		
2			
3	05 8506		
4			
5			
6	05 8458		
7	02 6731		
8	20 9294		
9	05 0166		
10	15 2222		
11	08 8535		
12	05 6008		
13	35 0026		